



I.C. LOCATION	TYPE	W.L. NO.	TERM FOR ±0V	TERM FOR VCC ±5V	QTY.
L1, 19, 29	709C	376-0000			3
L2, 5, 14, 15, 16, 17, 24, 25, 26, 28	F9946	376-0023	7	14	10
L3, 9, 13	F9930	376-0022	7	14	3
L6, 11, 22, 23, 31	F9936	376-0026	7	14	5
L7	SN7430N	376-0031	7	14	1
L8, 12, 27	SN74123N	376-0080	8	16	3
L9, 30	SN7400N	376-0002	7	14	2
L10, 21	SN7410N	376-0003	7	14	2
L18	SP380A	376-0061	1	8	1
L20	SN7404N	376-0010	7	14	1

COMPONENT	SIZE, TYPE	W.L. NO.	QTY.
R1	10K POT.	336-1004	1
R2	12K 1/4W	330-4012	1
R3	330K 1/4W	330-5033	1
R4, 21	680Ω 1/4W	330-2068	2
R5, 20, 26	4.7K 1/4W	330-3047	3
R6, 27	1M 1/4W	330-6010	2
R7	0.2K 1/4W	330-3082	1
R8, 10, 12, 13, 14, 18, 23, 24, 25, 28	10K 1/4W	330-4010	10
R9	27K 5% 1/4W	330-4028	1
R11	18K 1/4W	330-4018	1
R15	15K 5% 1/4W	330-4016	1
R16	12K 5% 1/4W	330-4013	1
R17	1K 1/4W	330-3010	1
R19	18K 5% 1/4W	330-4019	1
R22	180K 1/4W	330-5018	1
R29	15K 1/4W	330-4015	1
C1	1.2μf 5% TA.	300-4026	1
C2, 12	33μf 5% TA.	300-4024	2
C3, 14	.1μf 20V	300-1918	2
C4, 15, 17	.001μf 200V	300-1906	3
C5, 16, 18	220μf CER.	300-1220	3
C6, 13	2.2μf 5% TA.	300-4027	2
C7, 10	470μf CER.	300-1470	2
C8	47μf CER.	300-1047	1
C9	.47μf 5%	300-4001	1
C11	5.6μf 5%	300-4017	1
C19, 20, 21, 22, 23, 24, 25, 26, 27, 30, 31, 32, 33	.02μf 25V	300-1904	13
C28, 29, 34, 35	15μf 20V TA.	300-4022	4
DI THRU D18	30V SIL.	380-1001	8



WANG LABORATORIES INC.  
TEWKSBURY, MASS.

MODEL NO. 1200 DRAWN F.S.S. 8-21-73 APP. 5/4/72  
CHECKED APP.

TITLE SCHEMATIC LOGIBLOC 6373  
KA KB CODE CONVERTER

SHT 1 OF 1 Dwg. No. D 6373-1 REV.