


LOCATION	TYPE	W. L. NO.	PIN NO. 10V	PIN NO. 5V	QTY
L1	SN7410N	376-0003	7	14	1
L2, 32	SN7404N	376-0010	7	14	2
L3, 28, 29	SN7408N	376-0081	7	14	3
L4, 13, 16, 23, 27	SN7400N	376-0002	7	14	5
L5, 6	SN7405N	376-0039	7	14	2
L7, 22	9930	376-0022	7	14	2
L8, 9, 10, 11	SN7430N	376-0073	10	5	4
L12	SN7473N	376-0005	11	4	1
L14, 24	5602	376-0104	8	16	2
L15	SN7452N	376-0053	8	16	1
L17, 18, 20, 21	SN7442N	376-0008	8	16	4
L19, 30, 31	SN7432N	376-0093	7	14	3
L25, 33	SN7402N	376-0016	7	14	2
L26	9914	376-0108	8	16	1
L34	9935	376-0025	7	14	1

PULSE WIDTH CHART

RBK PIN J₁

PRINT	20MS
SPACE	50MS
BACKSPACE	50MS
TAB	20MS
CR/LF	95MS
SHIFT	70MS
SET TAB	20MS
CLEAR TAB	20MS
INDEX	95MS
1/2 INDEX FOR	70MS
1/2 INDEX REV.	70MS

COMPONENT	SIZE/TYPE	W. L. NO.	QTY
R1	22K 1/4W	330-4022	1
R2, 11	10K 1/4W	330-4010	2
R3	8.2K 1/4W	330-3083	1
R4	22K 5/8W	330-4023	1
R5, 9, 10	1K 1/4W	330-3010	3
R6	1K 5/8W	330-4019	1
R7	1K 1/4W	330-4016	1
R8	33K 1/4W	330-4021	1
C1	100PF 50V TANT	300-4044	1
C2	100PF 50V TANT	300-4027	1
C3	2.2M 50V TANT	300-4028	1
C4	5.6M 50V TANT	300-4025	1
C5	.002M 2ER	300-1913	1
C6	.002M 2ER	300-1913	1
CC, 17	150V 20V TANT	300-4022	2
C7, 8, 9, 10, 11, 12, 13, 14, 15	.05M 50V CER	300-1900	10
D1, 2, 3, 4, 5	DIGITE SIL	300-1001	5
C18	220PF CER	300-1230	1
C19	.01M 4 CER	300-1903	1



WANG LABORATORIES INC.
TEWKSBURY, MASS.

MODEL NO. 1222
DRAWN: R-1123
CHECKED: W-11-75

SCHEMATIC LOGIBLOC 6520
TYPEWRITER OUTPUT TIMING

210-6520
REV. 4 OF 5
D 6520

SIGNAL - TERMINAL DESIGNATIONS, VIEW FROM BOTTOM (WIRING) SIDE OF CONNECTOR

NOTE: 1. FOR TELECOMMUNICATIONS SEE DWG. 67020